

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

48



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/675,694	09/29/2000	Manav Mishra	42390P9326	1491

7590

09/03/2004

Libby N Ho  
 Blakely Sokoloff Taylor & Zafman LLP  
 7th Floor  
 12400 Wilshire Boulevard  
 Los Angeles, CA 90025

EXAMINER

LAZARO, DAVID R


ART UNIT PAPER NUMBER

2155

DATE MAILED: 09/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

48

<b>Office Action Summary</b>	<b>Application No.</b> 09/675,694	<b>Applicant(s)</b> MISHRA ET AL. 	
	<b>Examiner</b> David Lazaro	<b>Art Unit</b> 2155	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 26 July 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 25-73 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 25-73 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### DETAILED ACTION

1. This Office Action is in response to the RCE filed 07/26/04.
2. Claims 1-25 were canceled.
3. Claims 26-73 were added.

### ***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 26-73 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent 6,772,333 by Brendel et al. (Brendel).
6. With respect to Claim 26, Brendel teaches a method comprising: receiving a user request corresponding to a transaction (Col. 9 lines 29-36), the user request comprising a session identifier (ID) (Col. 9 lines 57-65); determining if the transaction is a secure transaction (Col. 9 lines 57-63), determining if the session ID exists in a mapping table, if the transaction is a secure transaction (Col. 9 lines 63-67); sending the request to a server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 line 63 - Col. 10 line 4).

7. With respect to Claim 27, Brendel teaches all the limitations of Claim 26 and further teaches using a load balancing algorithm to assign a server to the user request if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5 - 17).

8. With respect to Claim 28, Brendel teaches all the limitations of Claim 27 and further teaches adding the session ID and the server assignment as an entry to the mapping table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17).

9. With respect to Claim 29, Brendel teaches all the limitations of Claim 27 and further teaches assigning a secure tunnel to the assigned server as an entry to the mapping table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17 - Note: The examiner broadly interprets a tunnel to be a designated channel of communication based on the specification on page 6, line 26. The connection to the assigned server is a designated channel of communication and communications are encrypted when the transaction is secure, hence a secure tunnel).

10. With respect to Claim 30, Brendel teaches all the limitations of Claim 29 and further teaches wherein assigning a secure tunnel comprises selecting from among a plurality of established secure tunnels with a plurality of servers (Col. 10 lines 5-17 and Col. 2 lines 9-26 - Note: the secure tunnels are established as data is already being encrypted.).

Art Unit: 2155

11. With respect to Claim 31, Brendel teaches all the limitations of Claim 26 and further teaches the secure tunnel comprises a secure sockets layer (SSL) context (Col. 10 lines 5-17 and Col. 3 line 58 - Col. 4 line 25).
12. With respect to Claim 32, Brendel teaches all the limitations of Claim 31, and further teaches the SSL context comprises a source address, a destination address and an encryption algorithm (Col. 3 line 58 - Col. 4 line 25).
13. With respect to Claim 33, Brendel teaches all the limitations of Claim 26 and further teaches using a load balancing algorithm to assign a server to the user request if the transaction is not a secure transaction (Col. 9 lines 29-56).
14. With respect to Claim 34, Brendel teaches all the limitations of Claim 26 and further teaches subsequently receiving a second request comprising the session ID; selecting the server corresponding to the session ID; and sending the second request to the selected server (Col. 10 lines 5-17).
15. With respect to Claim 35, Brendel teaches all the limitations of Claim 26 and further teaches wherein determining if the transaction is a secure transaction comprises determining if an SSL packet is associated with the request (Col. 9 lines 57-63).
16. With respect to Claim 36, Brendel teaches all the limitations of Claim 26 and further teaches wherein a secure transaction comprises transactions in which information about the user is saved at the assigned server (Col. 10 lines 31-36 and Col. 11 lines 46-58).
17. With respect to Claim 37, Brendel teaches all the limitations of Claim 26 and further teaches wherein a secure transaction comprises transactions in which personal

data and credit card information about the user is saved at the assigned server (Col. 10 lines 31-36 and Col. 11 lines 46-58)

18. With respect to Claim 38, Brendel teaches all the limitations of Claim 26 and further teaches receiving a second request comprising a second session ID (Col. 10 lines 5-17); selecting the server corresponding to the first session ID (Col. 10 lines 5-17); sending the second request to the selected server (Col. 10 lines 5-17); and applying a quality of service algorithm to prioritize the first request and the second request (Col. 14 lines 11-18).

19. With respect to Claim 39, Brendel teaches a method comprising: receiving a user request corresponding to a transaction (Col. 9 lines 29-36), the user request comprising a session identifier (ID) (Col. 9 lines 57-65); determining if the transaction is a secure transaction (Col. 9 lines 57-63); determining if the session ID exists in a mapping table, if the transaction is a secure transaction (Col. 9 lines 63-67); and assigning a server to the user request and assigning a secure tunnel to the assigned server if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17 - Note: The examiner broadly interprets a tunnel to be a designated channel of communication based on the specification on page 6, line 26. The connection to the assigned server is a designated channel of communication and communications are encrypted when the transaction is secure, hence a secure tunnel).

20. With respect to Claim 40, Brendel teaches all the limitations of Claim 39 and further teaches using a load balancing algorithm to assign the server to the user request (Col. 10 lines 5-17).

21. With respect to Claim 41, Brendel teaches all the limitations of Claim 39 and further teaches sending the request to a server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 lines 63 - Col. 10 line 4).

22. With respect to Claim 42, Brendel teaches all the limitations of Claim 39 and further teaches adding the session ID and the server assignment as an entry to the mapping table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17).

23. With respect to Claim 43, Brendel teaches all the limitations of Claim 39 and further teaches wherein assigning a secure tunnel comprises selecting from among a plurality of established secure tunnels with a plurality of servers (Col. 10 lines 5-17 and Col. 2 lines 9-26).

24. With respect to Claim 44, Brendel teaches all the limitations of Claim 43 and further teaches the secure tunnel comprises a secure sockets layer (SSL) context having a source address, a destination address and an encryption algorithm (Col. 10 lines 5-17 and Col. 3 line 58 - Col. 4 line 25).

25. With respect to Claim 45, Brendel teaches all the limitations of Claim 39 and further teaches wherein determining if the transaction is a secure transaction comprises determining if an SSL packet is associated with the request (Col. 9 lines 57-63).

26. With respect to Claim 46, Brendel teaches 46 a method comprising: receiving a user request corresponding to a transaction (Col. 9 lines 29-37), the user request comprising a session identifier (ID) (Col. 9 lines 57-65); assigning a server to the user



Art Unit: 2155

request (Col. 10 lines 5-17); determining if the transaction is a secure transaction (Col. 9 lines 57-63); assigning a secure tunnel to the assigned server if the transaction is a secure transaction (Col. 10 lines 5-17); adding the session ID, the server assignment, and the secure tunnel assignment as an entry to a mapping table if the transaction is a secure transaction (Col. 10 lines 5-17 - The examiner broadly interprets a tunnel to be a designated channel of communication based on the specification on page 6, line 26.

The connection to the assigned server is a designated channel of communication and communications are encrypted when the transaction is secure, hence a secure tunnel).

27. With respect to Claim 47, Brendel teaches all the limitations of Claim 46 and further teaches determining if the session ID exists in the mapping table, if the transaction is a secure transaction and sending the request to the server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 line 63 - Col. 10 line 4).

28. With respect to Claim 48, Brendel teaches all the limitations of Claim 46 and further teaches wherein assigning a secure tunnel comprises selecting from among a plurality of established secure tunnels with a plurality of servers (Col. 10 lines 5-17 and Col. 2 lines 9-26).

29. With respect to Claim 49, Brendel teaches all the limitations of Claim 46 and further teaches the secure tunnel comprises a secure sockets layer (SSL) context having a source address, a destination address and an encryption algorithm (Col. 10 lines 5-17 and Col. 3 line 58 - Col. 4 line 25).

30. With respect to Claim 50, Brendel teaches all the limitations of Claim 46 and further teaches subsequently receiving a second request comprising the session ID; determining if the session ID exists in the mapping table; and sending the request to the server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 line 63 - Col. 10 line 17).

31. With respect to Claim 51, Brendel teaches all the limitations of Claim 46 and further teaches wherein a secure transaction comprises transactions in which information about the user is saved at the assigned server (Col. 10 lines 31-36 and Col. 11 lines 46-58).

32. With respect to Claim 52, Brendel teaches all the limitations of Claim 46 and further teaches receiving a second request comprising a second session ID (Col. 10 lines 5-17); selecting the server corresponding to the first session ID (Col. 10 lines 5-17); sending the second request to the selected server (Col. 10 lines 5-17); and applying a quality of service algorithm to prioritize the first request and the second request (Col. 14 lines 11-18).

33. With respect to Claim 53, Brendel teaches an article of manufacture including a machine-readable medium having stored thereon data representing sequences of instructions, which, when executed by a machine, cause the machine to perform operations including: receiving a user request corresponding to a transaction (Col. 9 lines 29-36), the user request comprising a session identifier (ID) (Col. 9 lines 57-65); determining if the transaction is a secure transaction (Col. 9 lines 57-63), determining if the session ID exists in a mapping table, if the transaction is a secure transaction (Col.

Art Unit: 2155

9 lines 63-67); sending the request to a server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 line 63 - Col. 10 line 4).

34. With respect to Claim 54, Brendel teaches all the limitations of Claim 53 and further teaches using a load balancing algorithm to assign a server to the user request if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5 - 17).

35. With respect to Claim 55, Brendel teaches all the limitations of Claim 53 and further teaches adding the session ID and the server assignment as an entry to the mapping table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17).

36. With respect to Claim 56, Brendel teaches all the limitations of Claim 53 and further teaches selecting from among a plurality of established secure tunnels with a plurality of server to assign a secure tunnel to the assigned server as an entry to the mapping table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17 and Col. 2 lines 9-26).

37. With respect to Claim 57, Brendel teaches an article of manufacture including a machine-readable medium having stored thereon data representing sequences of instructions, which, when executed by a machine, cause the machine to perform operations including: receiving a user request corresponding to a transaction (Col. 9 lines 29-36), the user request comprising a session identifier (ID) (Col. 9 lines 57-65); determining if the transaction is a secure transaction (Col. 9 lines 57-63); determining if

the session ID exists in a mapping table, if the transaction is a secure transaction (Col. 9 lines 63-67); and assigning a server to the user request and assigning a secure tunnel to the assigned server if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17 - Note: The examiner broadly interprets a tunnel to be a designated channel of communication based on the specification on page 6, line 26. The connection to the assigned server is a designated channel of communication and communications are encrypted when the transaction is secure, hence a secure tunnel).

38. With respect to Claim 58, Brendel teaches all the limitations of Claim 57 and further teaches sending the request to a server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 lines 63 - Col. 10 line 4).

39. With respect to Claim 59, Brendel teaches all the limitations of Claim 57 and further teaches the secure tunnel comprises a secure sockets layer (SSL) context having a source address, a destination address and an encryption algorithm (Col. 10 lines 5-17 and Col. 3 line 58 - Col. 4 line 25).

40. With respect to Claim 60, Brendel teaches an article of manufacture including a machine-readable medium having stored thereon data representing sequences of instructions, which, when executed by a machine, cause the machine to perform operations including: receiving a user request corresponding to a transaction (Col. 9 lines 29-37), the user request comprising a session identifier (ID) (Col. 9 lines 57-65); assigning a server to the user request (Col. 10 lines 5-17); determining if the transaction

is a secure transaction (Col. 9 lines 57-63); assigning a secure tunnel to the assigned server if the transaction is a secure transaction (Col. 10 lines 5-17); adding the session ID, the server assignment, and the secure tunnel assignment as an entry to a mapping table if the transaction is a secure transaction (Col. 10 lines 5-17 - The examiner broadly interprets a tunnel to be a designated channel of communication based on the specification on page 6, line 26. The connection to the assigned server is a designated channel of communication and communications are encrypted when the transaction is secure, hence a secure tunnel).

41. With respect to Claim 61, Brendel teaches all the limitations of Claim 60 and further teaches determining if the session ID exists in the mapping table, if the transaction is a secure transaction and sending the request to the server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 line 63 - Col. 10 line 4).

42. With respect to Claim 62, Brendel teaches all the limitations of Claim 60 and further teaches subsequently receiving a second request comprising the session ID; determining if the session ID exists in the mapping table; and sending the request to the server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 9 line 63 - Col. 10 line 17).

43. With respect to Claim 63, Brendel teaches all the limitations of Claim 60 and further teaches receiving a second request comprising a second session ID (Col. 10 lines 5-17); selecting the server corresponding to the first session ID (Col. 10 lines 5-17); sending the second request to the selected server (Col. 10 lines 5-17); and

applying a quality of service algorithm to prioritize the first request and the second request (Col. 14 lines 11-18).

44. With respect to Claim 64, Brendel teaches a system comprising: a mapping table containing session identifiers (IDs) linked to server and secure tunnel assignments (Col. 9 line 63 - Col. 10 line 17); and a dispatcher to receive a user request corresponding to a transaction (Col. 9 lines 29-36), the user request comprising a session ID (Col. 9 lines 57-65), to determine if the transaction is a secure transaction (Col. 9 lines 57-63), to determine if the session ID exists in the mapping table, if the transaction is a secure transaction (Col. 9 line 63 - Col. 10 line 17), and send the request to a server corresponding to the session ID in the mapping table, if the session ID exists in the mapping table (Col. 10 line 5-17).

45. With respect to Claim 65, Brendel teaches all the limitations of Claim 64 and further teaches a load balancing table and wherein the dispatcher assign a server to the user request using the load balancing table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17).

46. With respect to Claim 66, Brendel teaches all the limitations of Claim 65 and further teaches the dispatcher adds the session ID and the server assignment as an entry to the mapping table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 line 5-17).

47. With respect to Claim 67, Brendel teaches all the limitations of Claim 65 and further teaches the dispatcher determines if the transaction is a secure transaction by determining if an SSL packet is associated with the request (Col. 9 lines 57-63).

48. With respect to Claim 68, Brendel teaches all the limitations of Claim 67 and further teaches a secure transaction comprises transactions in which information about the user is saved at the assigned server (Col. 10 lines 31-36 and Col. 11 lines 46-58)

49. With respect to Claim 69, Brendel teaches all the limitations of Claim 65 and further teaches a quality of service (QoS) manager in communication with the dispatcher to decide which one of multiple user requests is processed if multiple user requests are sent to the same server (Col. 14 lines 11-18).

50. With respect to Claim 70, Brendel teaches a system comprising: a load balancing table (Col. 10 lines 5-17); a mapping table containing session identifiers (IDs) linked to server and secure tunnel assignments (Col. 9 line 63 - Col. 10 line 17); and a dispatcher to receive a user request corresponding to a transaction (Col. 9 lines 29-36), the user request comprising a session ID (Col. 9 lines 57-65), to determine if the transaction is a secure transaction (Col. 9 lines 57-63), to determine if the session ID exists in the mapping table, if the transaction is a secure transaction (Col. 9 line 63 - Col. 10 line 17), and to assign a server to the user request using the load balancing table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17).

51. With respect to Claim 71, Brendel teaches all the limitations of Claim 70 and further teaches the dispatcher further assigns a server to the user request using the load balancing table if the transaction is not a secure transaction (Col. 9 lines 37-56).

52. With respect to Claim 72, Brendel teaches all the limitations of Claim 70 and further teaches the dispatcher further assigns a secure tunnel to the assigned server,

selected from among a plurality of established secure tunnels with a plurality of established servers, if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17 and Col. 2 lines 9-26).

53. With respect to Claim 73, Brendel teaches all the limitations of Claim 70 and further teaches the dispatcher further adds the session ID and the server assignment as an entry to the mapping table if the transaction is a secure transaction and the session ID does not exist in the mapping table (Col. 10 lines 5-17).

### ***Response to Arguments***

54. Applicant's arguments, see Remarks, filed 07/26/04, with respect to the rejection(s) of claim(s) 1-18 and 22-25 under 35 U.S.C. 102(e) as being anticipated by U.S. Provisional application 60/188,142 by Swildens (and the rejection of claims 19-21 under 35 U.S.C. j 103(a) as being unpatentable over Swildens in view of U.S. Patent No. 6,505,250 by Freund et al.) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of U.S. Patent 6,772,333 by Brendel.

### ***Conclusion***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Lazaro whose telephone number is 703-305-4868. The examiner can normally be reached on 8:30-5:00 M-F.



Art Unit: 2155

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain Alam can be reached on 703-308-6662. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
David Lazaro  
September 1, 2004

  
HOSAIN ALAM  
SUPERVISORY PATENT EXAMINER